	LAKE BUCKHOP	RN P.O.A. INC. 1817	' SR 83, UNIT 332	MILLERS	-
Phone	e: 330-674-9961				Fax: 330-674-5612
			MIT APPLICATI	UN	
-			V HOUSE		
\bigcirc		MINIMUM	OF 1200 SQ FT		
DAT	E//				
			LOT(S)#		
ADD.	RESS NE: (daytime)		L	STATE	ZIF
PHO	NE: (daytime)	(evening)		_(other)	
					FION FEE\$5,000.00DEPOSIT\$1,500.00
		PERMIT FEE SO FT	X. TOTA	L SO FT	X \$2.00 \$
			Τ	OTAL AMO	UNT DUE \$
EFFEC	CTIVE FEBRUARY 1, 2022,	LBPOA CHARGES THE F	OLLOWING FOR ALL	NEW HOMES:	
	1. <u>\$2.00 PER</u> SQUARE F	OOT OF LIVING SPACE B	ASED ON FOUNDAT	ION SIZE (NO C	CHARGE FOR AN
		UNLESS THERE IS LIVI			
		LE SECURITY DEPOSIT I ILL BE REFUNDED IF THEF			SED BY THE MANAGER
	is a weight limit in place du es exceeding this limit must l				
	es that are addressing needs				
	,000.00 and loss of Security I				
	olation, that contractor will b				
CEFFE	CTIVE 10/12/2004 – For any I	Member whose home is lost	due to fire or other cata	strophic events (e	g lightening tornadoes
	LBPOA will waive ALL fees n				
	ding process, LOAD LIMITS		er, each load will have to	be cleared with	the Lake Manager to
minim	ize any possible damage to the	e roads.			
	(BY INITIALING ITEM	DRE PERMIT IS ISSUED S. APPLICANT CERTIFIES THAT HEA	THE FOLLOWING I SHE UNDERSTANDS AND WILL	S REQUIRED COMPLY WITH REQU	IREMENTS)
	1. SHOW OWNERSHIP	OF LOTS (COPY OF DEED MUS	T BE ON FILE)		
	2. SHOW THAT SQ. FO FOUNDATION SIZE).	OTAGE OF STRUCTURE IS THE	MINIMUM 1200 SQ FT (M	AIN LEVEL OF LIV	ING SPACE BASED ON
	,	E CHECKED BUILDING CODE A	ND RULES AND REGULA	TIONS	
	4. SUBMIT TO BUILDIN	NG COMMITTEE SPECS OF DES	IGN OF STRUCTURE AND	MATERIALS TO B	E USED.
	5. BEFORE BEGINNING	G CONSTRUCTION ON ANY NE	W RESIDENCE, A LOT OW	NER SHALL ENGA	GE A REGISTERED LAND
		Y ALL BUILDING CODE RULE			
		NG FOR AT LEAST THREE (3) V	EHICLES MUST BE PROVI	DED.	
		INIMUM THREE (3) BEDROOM			HOLMES COUNTY HEALTH
	DEPARTMENT.				
	9. THE COUNTY BOAR	D OF HEALTH <u>MUST INSPECT</u>			<u>D.</u> ASE INFORM LBPOA OFFICE)
		FIC SYSTEM & REPLACEMENT			
		CATE OF INSURANCE FROM LE			
		CATE OF INSURANCE FROM CO			
		A COPY OF AND WILL COMPL		NTROL REQUIREM	1ENTS (SEE REVERSE).
\bigcirc	14. SFGF, STAYE POSTUM		LAUNINEPPONETSARI	BEBHUR BOARD	SFARLIS PEEST ARODERPRESS
	15. A DUMPSTER WILL	. BE REQUIRED TO BE ON SITE	AND WILL REMAIN UNT	L CONSTRUCTION	IS COMPLETE.

Revised November 2022

I am familiar with all Deed Restrictions and Building Code involved and hereby make application for issuance of a building permit for construction as herein stated on the reverse side. I understand that I am legally responsible for the contractor adhering to these codes. I understand that the Building Committee has thirty days (30) to approve or disapprove this permit, said thirty days does not begin until the Building Permit is completed in its entirety and all necessary documents attached.

Before any dirt work is started a silt fence will be established and approved by the Lake Manager and Building Committee and will remain intact and maintained until final grade and grass is planted. Failure to comply with this statute could result in forfeiture of construction deposit and/or fines defined by the Lake Buckhorn Board of Trustees, not to exceed the Deposit for construction.

- (i) Erosion Control
 - (aa) Property owners or contractors who are clearing, excavating and/or stripping ground cover from their lot(s), shall provide a means of erosion control.
 - (ab) NO eroded material shall be allowed to enter the lake or adjoining properties whether owned by another private individual or by LBPOA.
 - (ac) An erosion control device constructed of a geo fabric material or bales of straw shall be placed on all properties where disturbance of the topsoil occurs.
 - (ad) The device shall be placed so as to successfully stop soil from moving into the lake or onto other property and shall remain in place until all soil in the area has been stabilized.
 - (ae) This device shall be in place before the Building Permit is issued.

Member's signature				DATE	
I have received a copy of Lake Buck					e.
Contractor's signature					
Company Name (Please print)					
Business address					
City					
<u>Application is no</u> Received by <u></u>	t valid unless signed	ON FOR OFFICE US		Lake Buckhorn POA (Stamp)	
BUILDING PERMIT APPI BY:				T. FEE \$	
BY:			DATE		
BY:			DATE		
BY:			DATE		
M 1. CHECK CURRENT & ALL I	ANAGERS INSPE REVIOUS OWNER'S	CTIONS & COMPLIA FILES FOR NOTATION	ANCE CHE	CKS	
& RESTRICTIONS			-	//	
2. LOCATION OF LOT			DATE_	//	
. FOUNDATION SIZE			DATE _	//	
4. OUTSIDE WALL MATERIA			_	//	
5. SEPTIC SYSTEM INSPECT	ED & TESTED		DATE_	//	
6. DRIVEWAYS MUST DRAIN	I INTO ROAD DITCH	••••••	DATE_	//	
SIGNATURE OF MANAG	ER		DATE	/ /	

BLOOMFIELD WATER COMPANY PHONE: 330-674-9961

1817 SR 83, UNIT 332 MILLERSBURG, OH 44654

APPLICATION FOR WATER TAP-IN CONNECTION						
DATE//						
NAME		LOT(S)#	¥			
ADDRESS	CITY	STATE	ZIP			
PHONE: (daytime)	(evening)	(other)				

A NON-REFUNDABLE FEE OF \$2,500.00 WILL BE CHARGED FOR THE TAP-IN FEE AND INSTALLATION OF A WATER METER WHEN BUILDING A HOUSE

TAP-IN AND WATER MEETER INSTALLATION FEE PAID \$_____

RECEIVED BY

BLOOMFIELD WATER COMPANY REPRESENTATIVE

DATE___/__

I have read the following and, by siging this application, do hereby agree to follow all Deed Restrictions, Bylaws, and Rules and Regulations of the Lake Buckhorn Property Owners Association regarding the water connection to be made to my house. I also agree to pay, in timely manner, all quarterly water fees, plus any special assessments as deemed necessary by the Board of Directors of the Bloomfield Water Company.

SI	G١	V	AT	U	R	Ε	0	F	N	1	E	N	V	B	E	R	Ł

DATE___/___/___

WATER TAP INFORMATION

- 1.) All customer service lines must be ¾" K copper or 200lb. 314" CTS pressure plastic pipe.
- 2.) All exterior connections must be made by compression fittings.
- 3.) All residential houses must have a shutoff valve located inside of the new building, plus a check valve to prevent backflow.
- 4.) Bloomfield Water Company's operator must be given a notice of not less than five (5) days for inspection of installation between curb box and new structure. Water service will not be provided until installation has been inspected by Bloomfield Water Company or it's operator.
- 5.) Water service will not be provided until all past due balances are paid in full.
- 6.) A 48-hour notice (except in emergencies) must be given to turn water service on/off. There is a \$10.00 charge for those services
- 7.) A charge of \$60.00 per month will be assessed on all overdue accounts.
- 8.) NO customers is permitted to turn his/her service on or off
- 9.) Any customer tampering with the water supply system will be prosecuted.

MANAGER'S SIGNATURE_____

_DATE___/___/

RETURN THIS FORM TO THE OFFICE

APPLICATION FOR DRIVEWAY ACCESS INSTALLATION & ADDRESS NUMBER

This application is for new driveway access and address assignment on unin onto a state route call ODOT at 330-674-1906. An approved ODOT access address on all state routes. Application fee: \$55.00 Holmes County Engineer's Office	assignment on unincorporated county, township, and private roads only. For new access roved ODOT access permit along with this completed application is needed to receive a new Checks payable to: Holmes County Engineer					
P.O. Box 29 Millersburg, OH 44654 (330)674-1856	OFFICE USE ONLY Amt. PdBy:Date:					
Fields A-D must be completed by applicant.						
VOID AFTER ONE YEAR	To Be Filled Out By Applicant (Charles a)					
A. Application:	<u>To Be Filled Out By Applicant (Check One):</u>					
Owner:	Need address only.					
Address:	Access Location Known: Proceed with application.					
City/State: Zip:	NO Access Location Known: This indicates that you want the Co. Eng. to inspect a parcel to ensure that a legal drive access location exists before transfer. Proceed					
Phone:	with application.					
B. Location:	I					
Township: All	lotment: Lot No					
1. The (Existing / New) driveway is located off (State / Count (Circle One)	y / Township / Private) Road # Circle One)					
2. The (Existing / New) driveway is located on which side of (Circle One)	the road? NORTH / SOUTH / EAST / WEST (Circle One)					
3. Is the proposed new driveway off an existing shared private	e drive? 🗌 Yes 🔲 No					
4. Is an address needed for this location?	□Yes □ No					
Measurements to locate proposed driveway. Note: This location be measured from the centerline of the proposed driveway centerline of the nearest existing driveway with an address, or interest of two roads. If you measure from an existing driveway on the considered of the road, do not include the width of the road measurement. Place a physical marker, such as a ribbon tied to placed at the center of proposed access so the inspector can easily where you propose to place your driveway. Failure to do so may nunnecessary delays in processing your application. The proposed driveway access is located free ($N/S/E/W$) of an existing drive that has an address of:	y to the ersection opposite in your o a post, y locate Type of Structure (choose one) Single Family Home Duplex Utility Industrial					

C. Procedure:

- 1. Owner, contractor, or surveyor fills out an application for a driveway access installation and returns to the Engineer's Office with application fee.
- 2. The Engineer's Office will inspect proposed driveway access location or access to proposed parcel and give recommendations according to the HOLMES COUNTY ACCESS MANAGEMENT REGULATIONS.
- 3. Upon preliminary approval of driveway access location, owner purchases required materials and completes all work necessary to install drive pipe as outlined on permit. The Engineer's Office will forward the information to the GIS Office where an address, if needed, will be assigned and sent back to applicant.
- 4. A driveway permit must accompany any deed submitted for approval for a subdivision to the Holmes County Planning Commission
- 5. After driveway access is constructed, the owner or contractor notifies Engineer's Office that they are ready for final inspection.

D. Permit:

Applicants Statement:

The applicant agrees to install or have installed a drive pipe of the type and size herein specified. The owner accepts full responsibility for the maintenance of this pipe forever. Failure to properly maintain this pipe shall void the owner's permit. The applicant must notify the Holmes County Engineer's Office at least 3 days in advance of starting the construction of the proposed driveway, so that a preliminary inspection can be scheduled. Failure to completely fill out application could result in unnecessary delays in processing your application.

NOTE: Two working days prior to beginning any excavation, the Ohio Utilities Protection Service (OUPS) must be contacted in accordance with ORC Section 3781.25 to 3781.32. OUPS can be reached at 1-800-362-2764. The applicant is solely liable for any damages done as a consequence of building this driveway.

Owner/agent certifies that he has a legal right, of record, to the aforementioned access for the property described in Section B hereinabove. Owner/agent agrees to indemnify and hold the Holmes County Engineer and the County of Holmes, their officers, agents and employees harmless from any and all claims that may arise as a result of owner/agent's afore stated claim of access being defective inadequate or inaccurate.

	Signed:		, Owner/Agent				
	Date:						
E.	Field Inspection:						
	Inspector:	Date:					
	Recommendations for Pipe :						
	Diameter:						
	Туре:						
	Date:						
F.	Special Notes:						
	1. Embed pipe in 3" or 4" of 304 gravel or limestor	ne.					
	2. There shall be no large stones, blocks, curbing or end of the pipe.	any other protruding obstru	iction, higher than the road surface at each				
	3. Leave one foot at each end of pipe uncovered.						
G.	Final Inspection:						
	This drive pipe installation has been inspected and for	ound to be					
	Satisfactory Unsatisfactory	······					
	Remarks:		······································				
	Signed:						
	Title:						
	Date:						
		Page 2 of 2					